

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5907677").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 08:19
S13 1	5	("9810558").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 14:27
S13 0	0	"wo-9810558-did."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:26
S12 9	0	"ww-9810558-did."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:26
S12 8	6	S127 and anonym\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:26
S12 7	102	(transfer\$4 or forward\$3) adj5 (request\$1! or command\$1!) adj10 (relay\$3 or proxy or proxies or intermediate) same server\$1! and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:49
S12 6	1	forward\$3 adj5 (request\$1! or command\$1!) near20 relay\$3 and anonym\$5 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:47
S12 5	160	forward\$3 adj5 (request\$1! or command\$1!) and anonym\$5 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:42
S12 4	44	(re-direct\$3 or redirect\$3) adj10 server\$1! and anonym\$5 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:40

S12 1	907	(re-direct\$3 or redirect\$3) adj10 server\$1! and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:22
S12 3	0	(re-direct\$3 or redirect\$3) adj URL same anonym\$5 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:21
S12 2	123	(re-direct\$3 or redirect\$3) adj URL and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:21
S11 9	0	(re-direct\$3 or redirect\$3) adj10 from adj10 server\$1! and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:20
S11 8	0	redirect\$3 adj5 from adj5 server and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:20
S11 7	13	S115 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:19
S11 5	88	(redirect\$3 or re-direct\$3) near20 (relay\$3 or intermediate or proxies or proxy) and (anonym\$5 or (without near10 reveal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:12
S11 4	1	(redirect\$3 or re-direct\$3) near20 (relay\$3 or intermediate or proxies or proxy) same (anonym\$5 or (without near10 reveal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:12
S11 3	1	(redirect\$3 or re-direct\$3) with proxy same (anonym\$5 or (without near10 reveal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:12
S11 2	33	(redirect\$3 or re-direct\$3) with (anonym\$5 or (without near10 reveal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 13:11

S88	16601	(transmit\$4 or transfer\$4 or forward\$3) near10 control\$4 near10 (proxy or proxies to intermediate or relay\$3 or broker\$1! or portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:47
S11 1	21	S88 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:32
S90	2	(transmit\$4 or transfer\$4 or forward\$3) near10 control\$4 near10 (proxy or proxies to intermediate or relay\$3 or broker\$1! or portal) same anonymous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:31
S11 0	13	IP adj address\$2! same (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:19
S10 9	0	IP adj address\$2! same enter\$3 same (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:19
S10 8	0	IP adj address\$2! near10 enter\$3 same (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:19
S10 7	0	IP adj address\$2! near5 enter\$3 same (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:19
S10 6	15	((redirect\$3 or re-derect\$3) near5 request) and (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:18
S10 5	0	((redirect\$3 or re-derect\$3) near5 request) same (call adj me) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:01
S10 4	1148	((redirect\$3 or re-derect\$3) near5 request) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:01

S10 3	14	(redirect\$3 or re-direct\$3) near15 (control adj (data or request)) and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 12:01
S10 1	5	S98 and @ad<"20001102"S100 and (anonym\$5 or (without near5 reveal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:49
S10 0	50	S98 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:45
S99	0	S88 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:43
S98	82	call adj me near5 button	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:43
S97	16	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:42
S96	15060	("709"/("202,203,217,219,225, 227,246")).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:34
S95	885	S88 and @ad<"20001102" and ((without with reveal\$3) or (action near5 user\$1!) or ((depress\$3 or press\$3) near5 (button or icon\$1!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:32
S92	29	S91 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:28
S91	71	(transmit\$4 or transfer\$4 or forward\$3) near10 control\$4 near10 (proxy or proxies to intermediate or relay\$3 or broker\$1! or portal) and anonymous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 11:12

S87	12	S86 and @ad<"20001102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:06
S86	59	(without near10 reveal\$3 near10 (personal adj information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:05
S85	6	(inquiry or request or query) with (without near10 reveal\$3 near10 (personal adj information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:05